

## SECTION 15 BASE METALS AND ARTICLES OF BASE METAL

### SECTION XV BASE METALS AND ARTICLES OF BASE METAL

#### Section Notes.

1.-This Section does not cover :

- (a) Prepared paints, inks or other products with a basis of metallic flakes or powder (headings 32.07 to 32.10, 32.12, 32.13 or 32.15);
- (b) Ferro-cerium or other pyrophoric alloys (heading 36.06);
- (c) Headgear or parts thereof of heading 65.06 or 65.07;
- (d) Umbrella frames or other articles of heading 66.03;
- (e) Goods of Chapter 71 (for example, precious metal alloys, base metal clad with precious metal, imitation jewellery);
- (f) Articles of Section XVI (machinery, mechanical appliances and electrical goods);
- (g) Assembled railway or tramway track (heading 86.08) or other articles of Section XVII (vehicles, ships and boats, aircraft);
- (h) Instruments or apparatus of Section XVIII, including clock or watch springs;
- (i) Lead shot prepared for ammunition (heading 93.06) or other articles of Section XIX (arms and ammunition);
- (k) Articles of Chapter 94 (for example, furniture, mattress supports, lamps and lighting fittings, illuminated signs, prefabricated buildings);
- (l) Articles of Chapter 95 (for example, toys, games, sports requisites);
- (m) Hand sieves, buttons, pens, pencil-holders, pen nibs or other articles Chapter 96 (miscellaneous manufactured articles); or
- (n) Articles of Chapter 97 (for example, works of art).

2.-Throughout the Nomenclature, the expression " parts of general use " means :

- (a) Articles of heading 73.07, 73.12, 73.15, 73.17 or 73.18 and similar articles of other base metals;
- (b) Springs and leaves for springs, of base metal, other than clock or watch springs (heading 91.14); and
- (c) Articles of headings 83.01, 83.02, 83.08, 83.10 and frames and mirrors, of base metal, of heading 83.06.

In Chapters 73 to 76 and 78 to 82 (but not in heading 73.15) references to parts of goods do not include references to parts of general use as defined above.

Subject to the preceding paragraph and to Note 1 to Chapter 83, the articles of Chapter 82 or 83 are excluded from Chapters 72 to 76 and 78 to 81.

3.-Throughout the Nomenclature, the expression " base metals " means : iron and steel, copper, nickel, aluminium, lead, zinc, tin, tungsten (wolfram), molybdenum, tantalum, magnesium, cobalt, bismuth, cadmium, titanium, zirconium, antimony, manganese, beryllium, chromium, germanium, vanadium, gallium, hafnium, indium, niobium (columbium), rhenium and thallium.

4.-Throughout the Nomenclature, the term " cermets " means products containing a microscopic heterogeneous combination of a metallic component and a ceramic component. The term " cermets " includes sintered metal carbides (metal carbides sintered with a metal).

5.-Classification of alloys (other than ferro-alloys and master alloys as defined in Chapters 72 and 74) :

- (a) An alloy of base metals is to be classified as an alloy of the metal which predominates by weight over each of the other metals;
- (b) An alloy composed of base metals of this Section and of elements not falling within this Section is to be treated as an alloy of base metals of this Section if the total weight of such metals equals or exceeds the total weight of the other elements present;

(c) In this Section the term " alloys " includes sintered mixtures of metal powders, heterogeneous intimate mixtures obtained by melting (other than cermets) and intermetallic compounds.

6.-Unless the context otherwise requires, any reference in the Nomenclature to a base metal includes a reference to alloys which, by virtue of Note 5 above, are to be classified as alloys of that metal.

7.-Classification of composite articles :

Except where the headings otherwise require, articles of base metal (including articles of mixed materials treated as articles of base metal under the Interpretative Rules) containing two or more base metals are to be treated as articles of the base metal predominating by weight over each of the other metals.

For this purpose :

- (a) Iron and steel, or different kinds of iron or steel, are regarded as one and the same metal;
- (b) An alloy is regarded as being entirely composed of that metal as an alloy of which, by virtue of Note 5, it is classified; and
- (c) A cermet of heading 81.13 is regarded as a single base metal.

8.-In this Section, the following expressions have the meanings hereby assigned to them :

(a) Waste and scrap

Metal waste and scrap from the manufacture or mechanical working of metals, and metal goods definitely not usable as such because of breakage, cutting-up, wear or other reasons.

(b) Powders

Products of which 90 % or more by weight passes through a sieve having a mesh aperture of 1 mm.

## **CHAPTER 72 IRON AND STEEL**

Notes.

1.-In this Chapter and, in the case of Notes (d), (e) and (f) throughout the Nomenclature, the following expressions have the meanings hereby assigned to them :

(a) Pig iron

Iron-carbon alloys not usefully malleable, containing more than 2 % by weight of carbon and which may contain by weight one or more other elements within the following limits :

- not more than 10 % of chromium
- not more than 6 % of manganese
- not more than 3 % of phosphorus
- not more than 8 % of silicon
- a total of not more than 10 % of other elements.

(b)Spiegeleisen

Iron-carbon alloys containing by weight more than 6 % but not more than 30 % of manganese and otherwise conforming to the specification at (a) above.

(c)Ferro-alloys

Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurising agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4 % or more of the element iron and one or more of the following :

- more than 10 % of chromium
- more than 30 % of manganese
- more than 3 % of phosphorus
- more than 8 % of silicon
- a total of more than 10 % of other elements, excluding carbon, subject to a maximum content of 10 % in the case of copper.

(d)Steel

Ferrous materials other than those of heading 72.03 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2 % or less of carbon. However, chromium steels may contain higher proportions of carbon.

(e)Stainless steel

Alloy steels containing, by weight, 1.2 % or less of carbon and 10.5 % or more of chromium, with or without other elements.

(f)Other alloy steel

Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown :

- 0.3 % or more of aluminium
- 0.0008 % or more of boron
- 0.3 % or more of chromium
- 0.3 % or more of cobalt
- 0.4 % or more of copper
  
- 0.4 % or more of lead
- 1.65 % or more of manganese
- 0.08 % or more of molybdenum
- 0.3 % or more of nickel
- 0.06 % or more of niobium
- 0.6 % or more of silicon

- 0.05 % or more of titanium
- 0.3 % or more of tungsten (wolfram)
- 0.1 % or more of vanadium
- 0.05 % or more of zirconium
- 0.1 % or more of other elements (except sulphur, phosphorus, carbon and nitrogen), taken separately.

(g) Remelting scrap ingots of iron or steel

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferro-alloys.

(h) Granules

Products of which less than 90 % by weight passes through a sieve with a mesh aperture of 1 mm and of which 90 % or more by weight passes through a sieve with a mesh aperture of 5 mm.

(ij) Semi-finished products

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and Other products of solid section, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

(k) Flat-rolled products

Rolled products of solid rectangular (other than square) cross-section, which do not conform to the definition at (ij) above in the form of :

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least ten times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, chequers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

(l) Bars and rods, hot-rolled, in irregularly wound coils

Hot-rolled products in irregularly wound coils, which have a solid cross-section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including " flattened circles " and " modified rectangles ", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

(m) Other bars and rods

Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross-section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including " flattened circles " and " modified rectangles ", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may :

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods);

- be twisted after rolling.

(n)Angles, shapes and sections

Products having a uniform solid cross-section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire.

Chapter 72 does not include products of heading 73.01 or 73.02.

(o)Wire

Cold-formed products in coils, of any uniform solid cross-section along their whole length, which do not conform to the definition of flat-rolled products.

(p)Hollow drill bars and rods

Hollow bars and rods of any cross-section, suitable for drills, of which the greatest external dimension of the cross-section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 73.04.

2.-Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.

3.-Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified, according to their form, their composition and their appearance, in the headings of this Chapter appropriate to similar hot-rolled products.

Subheading Notes.

1.-In this Chapter the following expressions have the meanings hereby assigned to them :

(a)Alloy pig iron

Pig iron containing, by weight, one or more of the following elements in the specified proportions :

- more than 0.2 % of chromium

- more than 0.3 % of copper

- more than 0.3 % of nickel

- more than 0.1 % of any of the following elements : aluminium, molybdenum, titanium, tungsten (wolfram), vanadium.

(b)Non-alloy free-cutting steel

Non-alloy steel containing, by weight, one or more of the following elements in the specified proportions :

- 0.08 % or more of sulphur

- 0.1 % or more of lead

- more than 0.05 % of selenium

- more than 0.01 % of tellurium

- more than 0.05 % of bismuth.

(c) Silicon-electrical steel

Alloy steels containing by weight at least 0.6 % but not more than 6 % of silicon and not more than 0.08 % of carbon. They may also contain by weight not more than 1 % of aluminium but no other element in a proportion that would give the steel the characteristics of another alloy steel.

(d) High speed steel

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7 % or more, 0.6 % or more of carbon and 3 to 6 % of chromium.

(e) Silico-manganese steel

Alloy steels containing by weight :

- not more than 0.7 % of carbon,
- 0.5 % or more but not more than 1.9 % of manganese, and
- 0.6 % or more but not more than 2.3 % of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.

2.-For the classification of ferro-alloys in the subheadings of heading 72.02 the following rule should be observed :

A ferro-alloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in Chapter Note 1 (c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule the unspecified " other elements " referred to in Chapter Note 1 (c) must each exceed 10 % by weight.

HEADING/ H.S.CODE	DESCRIPTION	SU	NG DUTY RATE
<b>72.01</b>	<b>Pig iron and spiegeleisen in pigs, blocks or other primary forms</b>		
7201.1000.00	-alloy pig iron containing, =<0.5% phosphorus, in pigs, blocks		5
7201.2000.00	-alloy pig iron containing, >0.5% phosphorus, in pigs, blocks		5
7201.5000.00	Alloy pig iron;spiegeleisen; in pigs, blocks or other primary forms		5
<b>72.02</b>	<b>Ferro-alloys</b>		
7202.1100.00	-manganese, containing by weight >2% carbon		5
7202.1900.00	-manganese, containing by weight =<2% carbon		5
7202.2100.00	-silicon, containing by weight >55% silicon		5
7202.2900.00	-silicon, containing by weight =<55% silicon		5
7202.3000.00	-silico-manganese		5
7202.4100.00	-chromium, containing by weight >4% carbon		5
7202.4900.00	-chromium, containing by weight =<4% carbon		5
7202.5000.00	-silico-chromium		5
7202.6000.00	-nickel		5
7202.7000.00	-molybdenum		5
7202.8000.00	-tungsten and ferro-silico-tungsten		5
7202.9100.00	-titanium and ferro-silico-titanium		5
7202.9200.00	-vanadium		5
7202.9300.00	-niobium		5
7202.9900.00	-alloys, nes		5

HEADING/ H.S.CODE	DESCRIPTION	SU	NG DUTY RATE
<b>72.03</b>	<b>Ferrous products from iron ore, etc, 99.94% pure iron, in lumps...</b>		
7203.1000.00	...		5
7203.9000.00	.94% pure iron, in lumps, pellets...		5
<b>72.04</b>	<b>Ferrous waste and scrap; remelting scrap ingots of iron or steel</b>		
7204.1000.00	Waste and scrap of cast iron		5
7204.2100.00	Waste and scrap of stainless steel		5
7204.2900.00	. stainless)		5
7204.3000.00	Waste and scrap of tinned iron or steel		5
7204.4100.00	... of iron or steel, nes		5
7204.4900.00	Ferrous waste and scrap, nes		5
7204.5000.00	Remelting scrap ingots		5
<b>72.05</b>	<b>Granules and powders, of pig iron, spiegeleisen, iron or steel</b>		
7205.1000.00	Granules, of pig iron, spiegeleisen, iron or steel		5
7205.2100.00	Powders of alloy steel		5
7205.2900.00	. alloy steel)		5
<b>72.06</b>	<b>Iron and non-alloy steel in ingots or other primary forms, nes</b>		
7206.1000.00	-alloy steel, nes		5
7206.9000.00	-alloy steel, in primary forms (excl. ingots), nes		5
<b>72.07</b>	<b>Semi-finished products of iron or non-alloy steel</b>		
7207.1100.00	-products of iron/steel, <0.25% carbon, of squarish section		5
7207.1200.00	-products of iron/steel, <0.25% carbon, of rectangular section		5
7207.1900.00	-products of iron or non-alloy steel, <0.25% carbon, nes		5
7207.2000.00	-products of iron or non-alloy steel, >=0.25% carbon		5
<b>72.08</b>	<b>Hot-rolled iron or non-alloy steel, &gt;=600mm wide</b>		
7208.1000.00	-rolled iron/steel,in coils,width >=600mm, with patterns in relief		5
7208.2100.00	.75 mm		5
7208.2600.00	.7mm thick		5
7208.2700.00	-rolled iron/steel,in coils, width >=600mm, pickled, <3 mm thick		5
7208.3600.00	-rolled iron/steel,in coils,width>=600mm,not pickled,>10mm thick		5
7208.3700.00	.75mm but<=10mm		5
7208.3800.00	.75mm thick		5
7208.3900.00	-rolled iron/steel,in colis, width >=600mm, not pickled,<3mm thick		5
7208.4000.00	Flat/hotrolled iron/steel,not coils,width>=600mm,with patterns in relief		5
7208.5100.00	-rolled iron/steel,not in coils, width >=600mm, > 10mm thick		5
7208.5200.00	.75mm but <=10mm thick		5
7208.5300.00	.75mm thick		5
7208.5400.00	-rolled iron/steel,not in coils, width >=600mm, <3mm thick		5
7208.9000.00	.further worked than hotrolled		5
<b>72.09</b>	<b>Cold-rolled iron or non-alloy steel, &gt;=600mm wide</b>		
7209.1500.00	-rolled iron/steel, in coils, width >=600mm, >=3mm thick		5
7209.1600.00	-rolled iron/steel, in coils, width >=600mm, >1mm but <3mm thick		5
7209.1700.00	.5mm but <=1mm thick		5

HEADING/ H.S.CODE	DESCRIPTION	SU	NG DUTY RATE
<b>72.09</b>	<b>Cold-rolled iron or non-alloy steel, &gt;=600mm wide</b>		
7209.1800.00	-rolled iron/steel, in coils, width >=600mm, < 0.5mm thick		5
7209.2500.00	-rolled iron/steel, not in coils, width >=600mm, >=3mm thick		5
7209.2600.00	-rolled iron/steel,not in coils,width>=600mm, >1mm but<3mm thick		5
7209.2700.00	.5mm but <=1mm thick		5
7209.2800.00	-rolled iron/steel, not in coils, width >=600mm, < 0.5mm thick		5
7209.9000.00	-alloy steel,width>=600mm,not clad,plated/coated		5
<b>72.10</b>	<b>Rolled iron or non-alloy steel, &gt;=600mm wide, clad, plated or coated</b>		
7210.1100.00	.5mm thick,clad,plated...with tin		5
7210.1200.00	-rolled iron/steel, width >=600mm, <0.5mm thick, plated... with tin		5
7210.2000.00	.terne		5
7210.3000.00	-rolled iron/steel, width >=600mm, electro-plated or coated with zinc		20
7210.4100.00	.electroplated)corrugated		20
7210.4900.00	.electroplated)		20
7210.5000.00	. & cr.oxides		5
7210.6100.00	-zinc alloys		20
7210.6900.00	Rolled iron/steel,width>=600mm, otherwise plated/coated with aluminium		20
7210.7000.71	Rolled iron/steel,width>=600mm, varnished of a kind used for manufacture of containers		5
7210.7000.79	Rolled iron/steel,width>=600mm, otherwise painted or coated with plastics		20
7210.9000.00	Rolled iron/steel, width >=600mm, otherwise clad,plated or coated nes		20
<b>72.11</b>	<b>Rolled iron or non-alloy steel, &lt;600mm wide, not clad, plated or coated</b>		
7211.1300.00	Hotrolled iron/steel,on 4 faces,width>150mm but<600mm,>=4mm thick,not coils		5
7211.1400.00	.75mm thick,not clad/plated etc		5
7211.1900.00	.75mm thick,not clad.		5
7211.2300.00	-rolled iron/steel,width <600mm, containing weight < 0.25% carbon		5
7211.2900.00	-rolled iron/steel,width <600mm, containing by weight >=0.25% carbon		5
7211.9000.00	.further worked than rolled)		5
<b>72.12</b>	<b>Rolled iron or non-alloy steel, &lt;600mm wide, clad, plated or coated</b>		
7212.1000.00	Flatrolled iron/nonalloy ,width <600mm,plated or coated with tin		5
7212.2000.00	Flatrolled iron/nonalloy steel,width<600mm,electro=plated/coated with zinc		5
7212.3000.00	-plated)		5
7212.4000.00	Flatrolled iron/steel,width<600mm,painted, varnished, or coated with plastic		5
7212.5000.00	-alloy steel, width <600mm, plated or coated, nes		5
7212.6000.00	-rolled iron or non-alloy steel, width <600mm, clad		5
<b>72.13</b>	<b>Iron/steel bars androds, hot-rolled, in irregularly wound coils</b>		
7213.1000.00	.deformations prod. by rolling		35
7213.2000.21	.5mm		5
7213.2000.29	.5mm<14mm		35
7213.9100.92	.5 mm		5
7213.9100.99	.5mm<14mm		35
7213.9900.00	Hot rolled iron/non alloy steel bars & rods,in irregularly wound coils		35

HEADING/ H.S.CODE	DESCRIPTION	SU	NG DUTY RATE
<b>72.14</b>	<b>Iron/steel bars and rods, forged, etc (incl. twisted), uncoiled</b>		
7214.1000.00	-alloy steel bars and rods, forged,		35
7214.2000.00	Iron/steel bars & rods,hotrolled,twisted/with deformations from rolling process		35
7214.3000.00	-EXTRUDED...NES		35
7214.9100.00	-section		35
7214.9900.00	-rolled, hot-drawn or hot extruded, nes		35
<b>72.15</b>	<b>Other bars and rods of iron or non-alloy steel</b>		
7215.1000.00	Bars/rods of free cutting steel,not further worked than cold formed or cold finished		35
7215.5000.00	Other, not further worked than cold formed or cold finished		35
7215.9000.00	.further worked than coldformed/coldfinished		35
<b>72.16</b>	<b>Angles, shapes and sections of iron or non-alloy steel</b>		
7216.1000.00	-rolled..., <80mm high		20
7216.2100.00	-rolled..., <80mm high		20
7216.2200.00	-rolled..., <80mm high		20
7216.3100.00	-rolled..., >=80mm high		20
7216.3200.00	-rolled..., >=80mm high		20
7216.3300.00	-rolled..., >=80mm high		20
7216.4000.00	-rolled..., >=80mm high		20
7216.5000.00	Angles/shapes/sections of iron/steel,not further worked than hot rolled		20
7216.6100.00	-formed,from flat rolled products.		20
7216.6900.00	..of iron/steel,not further worked than coldformed/finished		20
7216.9100.00	Angles/sections of iron/steel,coldformed/finished from flatrolled products		20
7216.9900.00	-alloy steel, nes		20
<b>72.17</b>	<b>Wire of iron or non-alloy steel</b>		
7217.1000.11	.5mm		5
7217.1000.19	.5mm		35
7217.2000.21	.5mm		5
7217.2000.29	.5mm		35
7217.3000.31	.5mm		5
7217.3000.39	.5mm		35
7217.9000.91	.5mm		5
7217.9000.99	.5mm		35
<b>72.18</b>	<b>Stainless steel in ingots or other primary forms, semi-products thereof</b>		
7218.1000.00	Ingots and other primary forms, of stainless steel		5
7218.9100.00	-section		5
7218.9900.00	-finished products of stainless steel,nes		5
<b>72.19</b>	<b>Flat-rolled products of stainless steel, &gt;=600mm wide</b>		
7219.1100.00	-rolled stainless steel, in coils, >=600mm by >10mm		5
7219.1200.00	-rolled stainless steel, in coils, >=600mm by 4.75-10mm		5
7219.1300.00	-rolled stainless steel, in coils, >=600mm by 3-4.75mm		5
7219.1400.00	-rolled stainless steel, in coils, >=600mm by <3mm		5

HEADING/ H.S.CODE	DESCRIPTION	SU	NG DUTY RATE
<b>72.19</b>	<b>Flat-rolled products of stainless steel, &gt;=600mm wide</b>		
7219.2100.00	-rolled stainless steel, uncoiled, >=600mm by >10mm		5
7219.2200.00	-rolled stainless steel, uncoiled, >=600mm by 4.75-10mm		5
7219.2300.00	-rolled stainless steel, uncoiled, >=600mm by 3-4.75mm		5
7219.2400.00	-rolled stainless steel, uncoiled, >=600mm by <3mm		5
7219.3100.00	-rolled stainless steel, uncoiled, >=600mm by >4.75mm		5
7219.3200.00	-rolled stainless steel, uncoiled, >=600mm by 3-4.75mm		5
7219.3300.00	-rolled stainless steel, uncoiled, >=600mm by 1-3mm		5
7219.3400.00	-rolled stainless steel, uncoiled, >=600mm by 0.5-1mm		5
7219.3500.00	-rolled stainless steel, uncoiled, >=600mm by <0.5mm		5
7219.9000.00	Rolled products of stainless steel, >=600mm wide, nes		5
<b>72.20</b>	<b>Flat-rolled products of stainless steel, &lt;600mm wide</b>		
7220.1100.00	-rolled stainless steel, <600mm by >=4.75mm		5
7220.1200.00	-rolled stainless steel, <600mm by <4.75mm		5
7220.2000.00	-rolled stainless steel, <600mm wide		5
7220.9000.00	Rolled products stainless steel, <600mm wide, nes		5
<b>72.21</b>	<b>Stainless steel bars and rods, hot-rolled, in irregularly wound coils</b>		
7221.0000.00	-rolled, in irregularly wound coils, of stainless steel		5
<b>72.22</b>	<b>Other bars and rods of stainless steel; angles, shapes and sections</b>		
7222.1100.00	-section		5
7222.1900.00	Stainless steel bars/rods,not further worked than hotrolled,not circular cross section		5
7222.2000.00	-formed/finished		5
7222.3000.00	Stainless steel bars and rods, nes		5
7222.4000.00	Angles, shapes and sections of stainless steel		5
<b>72.23</b>	<b>Wire of stainless steel</b>		
7223.0000.00	Wire of stainless steel		5
<b>72.24</b>	<b>Other alloy steel in primary forms; semi-products thereof</b>		
7224.1000.00	. stainless)		5
7224.9000.00	-finished products, of alloy steel (excl. stainless)		5
<b>72.25</b>	<b>Flat-rolled products of other alloy steel, &gt;=600mm wide</b>		
7225.1100.00	-rolled products of silicon-electrical steel,width>=600mm, grain-oriented		5
7225.1900.00	-electrical steel,>=600mm wide,(excl.grain-oriented)		5
7225.3000.00	-rolled steel alloys, nes, in coils, >=600mm wide		5
7225.4000.00	-rolled steel alloys, nes, uncoiled, >=600mm wide		5
7225.5000.00	-rolled steel alloys, nes, >=600mm wide		5
7225.9100.00	-plated/coated with zinc		5
7225.9200.00	-rolled alloy steel,width>=600mm ,zinc plated/coated(excl.electroplated)		5
7225.9900.00	-rolled products of alloy steel, >=600mm wide, nes		5
<b>72.26</b>	<b>Flat-rolled products of alloy steel, &lt;600mm wide</b>		
7226.1100.00	-electricalsteel width,<600mm ,grain-oriented		5
7226.1900.00	-oriented		5

HEADING/ H.S.CODE	DESCRIPTION	SU	NG DUTY RATE
<b>72.26</b>	<b>Flat-rolled products of alloy steel, &lt;600mm wide</b>		
7226.2000.00	-rolled high speed steel, <600mm wide		5
7226.9100.00	Flatrolled products alloy steel,not further worked than hotrolled,width<600mm		5
7226.9200.00	Flatrolled products alloy steel,not further worked than coldrolled,width<=600MM		5
7226.9900.00	-rolled products of other alloy steel, <600mm wide, nes		5
<b>72.27</b>	<b>Bars and rods, hot-rolled, in coils, of other alloy steel</b>		
7227.1000.00	-rolled, in coils, of high-speed steel		35
7227.2000.00	-rolled, in coils, of silico-manganese steel		35
7227.9000.00	-rolled, in coils, of alloy steel, nes		35
<b>72.28</b>	<b>Other bars and rods; angles, shapes and sections of other alloy steel</b>		
7228.1000.00	-speed steel		35
7228.2000.00	-manganese steel		35
7228.3000.00	-rolled, -drawn or extruded		35
7228.4000.00	Bars and rods of alloy steel, nes, simply forged		35
7228.5000.00	-formed or cold-finished		35
7228.6000.00	Bars and rods of alloy steel, nes		35
7228.7000.00	Angles, shapes and sections of alloy steel		35
7228.8000.00	-alloy steel		35
<b>72.29</b>	<b>Wire of other alloy steel</b>		
7229.2000.00	-manganese steel		35
7229.9000.00	Wire of alloy steel, nes		35